

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
1	Manual	500	805	90°
2	VELUX GGL-GPL-GHL-GEL-GTL-GXL C01	383	460	96°
3	VELUX GGL-GPL-GHL-GEL-GTL-GXL C02	383	540	96°
4	VELUX GGL CK02	383	595	96°
5	VELUX GGL-GPL-GHL-GEL-GTL-GXL C04	383	740	96°
6	VELUX GGL CK04	383	795	96°
7	VELUX GGL-GPL-GHL-GEL-GTL-GXL C06	383	940	96°
8	VELUX GGL CK06	383	995	96°
9	VELUX GGL-GPL-GHL-GEL-GTL-GXL F04	493	740	96°
10	VELUX GGL-GPL-GHL-GEL-GTL-GXL FK04	493	795	
11	VELUX GGL-GPL-GHL-GEL-GTL-GXL F06	493	940	96°
12	VELUX GGL FK06	493	995	96°
13	VELUX GGL-GPL-GHL-GEL-GTL-GXL F08	493	1160	96°
14	VELUX GGL FK08	493	1215	96°
15	VELUX GGL-GPL-GHL-GEL-GTL-GXL M04	613	740	96°
16	VELUX GGL MK04	613	795	96°
17	VELUX GGL-GPL-GHL-GEL-GTL-GXL M06	613	940	96°
18	VELUX GGL-GPL MK06	613	995	96°
19	VELUX GGL-GPL-GHL-GEL-GTL-GXL M08	613	1160	96°
20	VELUX GGL-GPL MK08	613	1215	96°
21	VELUX GGL-GPL-GHL-GEL-GTL-GXL M10	613	1362	96°
22	VELUX GGL-GPL-GHL-GEL-GTL-GXL MK10	613	1417	96°
23	VELUX GGL-GPL-GHL-GEL-GTL-GXL M12	613	1562	96°
24	VELUX GGL MK12	610	1617	96°
25	VELUX GGL-GPL-GHL-GEL-GTL-GXL P31	775	390	96°
26	VELUX GGL-GPL-GHL-GEL-GTL-GXL P25	775	312	96°
27	VELUX GGL-GPL-GHL-GEL-GTL-GXL PK25	775	367	96°
28	VELUX GGL-GPL-GHL-GEL-GTL-GXL P04	775	741	96°
29	VELUX GGL-GPL-GHL-GEL-GTL-GXL P06	775	940	96°
30	VELUX GGL-GPL PK06	775	995	96°
31	VELUX GGL-GPL-GHL-GEL-GTL-GXL P08	775	1160	96°
32	VELUX GGL-GPL PK08	775	1215	96°
33	VELUX GGL-GPL-GHL-GEL-GTL-GXL P10	775	1362	96°
34	VELUX GGL-GPL PK10	775	1417	96°
35	VELUX GGL-GPL-GHL-GEL-GTL-GXL S01	973	460	96°
36	VELUX GGL-GPL-GHL-GEL-GTL-GXL S06	973	940	96°
37	VELUX GGL-GPL-GHL-GEL-GTL-GXL SK06	973	995	96°
38	VELUX GGL-GPL-GHL-GEL-GTL-GXL S08	973	1160	96°
39	VELUX GGL-GPL SK08	973	1215	96°
40	VELUX GGL-GPL-GHL-GEL-GTL-GXL S10	973	1362	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
41	VELUX GGL-GPL-GHL-GEL-GTL-GXL U04	1173	740	96°
42	VELUX GGL-GPL-GHL-GEL-GTL-GXL UK04	1173	795	96°
43	VELUX GGL-GPL-GHL-GEL-GTL-GXL U08	1173	1160	96°
44	VELUX GGL-GPL-GHL-GEL-GTL-GXL UK08	1173	1215	96°
45	VELUX GGL-GPL-GHL-GEL-GTL-GXL U10	1173	1362	96°
46	VELUX GGL-GPL-GHL-GEL-GTL-GXL U31	1173	390	96°
47	VELUX GGL-GPL-GHL-GEL-GTL-GXL 102	397	575	96°
48	VELUX GGL-GPL-GHL-GEL-GTL-GXL 104	397	775	96°
49	VELUX GGL-GPL-GHL-GEL-GTL-GXL 204	507	775	96°
50	VELUX GGL-GPL-GHL-GEL-GTL-GXL 206	507	975	96°
51	VELUX GGL-GPL-GHL-GEL-GTL-GXL 304	613	740	96°
52	VELUX GGL-GPL-GHL-GEL-GTL-GXL 306	613	940	96°
53	VELUX GGL-GPL-GHL-GEL-GTL-GXL 308	613	1160	96°
54	VELUX GGL-GPL-GHL-GEL-GTL-GXL 310	613	1362	96°
55	VELUX GGL-GPL-GHL-GEL-GTL-GXL 404	775	740	96°
56	VELUX GGL-GPL-GHL-GEL-GTL-GXL 406	775	940	96°
57	VELUX GGL-GPL-GHL-GEL-GTL-GXL 408	775	1160	96°
58	VELUX GGL-GPL-GHL-GEL-GTL-GXL 410	775	1362	96°
59	VELUX GGL-GPL-GHL-GEL-GTL-GXL 431	775	390	96°
60	VELUX GGL-GPL-GHL-GEL-GTL-GXL 606	973	940	96°
61	VELUX GGL-GPL-GHL-GEL-GTL-GXL 608	973	1160	96°
62	VELUX GGL-GPL-GHL-GEL-GTL-GXL 610	973	1362	96°
63	VELUX GGL-GPL-GHL-GEL-GTL-GXL 808	1173	1160	96°
64	VELUX GGL-GPL-GHL-GEL-GTL-GXL 810	1173	1362	96°
65	VELUX GGL-GPL-GHL-GEL-GTL-GXL 831	1173	390	96°
66	VELUX GGL-GPL-GHL-GEL-GTL 1	614	742	96°
67	VELUX GGL-GPL-GHL-GEL-GTL 2	614	1162	96°
68	VELUX GGL-GPL-GHL-GEL-GTL N2	545	1093	96°
69	VELUX GGL-GPL-GHL-GEL-GTL 3	776	1364	96°
70	VELUX GGL-GPL-GHL-GEL-GTL 4	974	942	96°
71	VELUX GGL-GPL-GHL-GEL-GTL 5	536	942	96°
72	VELUX GGL-GPL-GHL-GEL-GTL 6	384	742	96°
73	VELUX GGL-GPL-GHL-GEL-GTL 7	1174	742	96°
74	VELUX GGL-GPL-GHL-GEL-GTL 74	1174	942	96°
75	VELUX GGL-GPL-GHL-GEL-GTL 8	1174	1162	96°
76	VELUX GGL-GPL-GHL-GEL-GTL 9	384	462	96°
77	VELUX GGL-GPL-GHL-GEL-GTL-VTL-GFL 10	974	1162	96°
78	VELUX GGL-GPL-GHL-GEL-GTL 11	614	1562	96°
79	VELUX GGL-GPL-GHL-GEL-GTL-VTL-GFL 14	614	942	96°
80	VELUX GGU-GHU-GPU-GTU C01	384	460	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
81	VELUX GGU-GHU-GPU-GTU-GXU C02	384	539	96°
82	VELUX GGU-GHU-GPU-GTU CK02	383	595	96°
83	VELUX GGU-GHU-GPU-GTU-GXU C04	384	739	96°
84	VELUX GGU-GPU CK04	383	795	96°
85	VELUX GGU-GHU-GPU-GTU-CXU C06	384	939	96°
86	VELUX GGU-GPU CK06	383	995	96°
87	VELUX GGU-GHU-GPU-GTU-GXU F04	494	739	96°
88	VELUX GGU-GHU-GPU-GTU FK04	493	795	96°
89	VELUX GGU-GHU-GPU-GTU-GXU F06	494	939	96°
90	VELUX GGU-GPU FK06	493	995	96°
91	VELUX GGU-GHU-GPU-GTU-GXU F08	494	1159	96°
92	VELUX GGU-GPU FK08	493	1215	96°
93	VELUX GGU-GHU-GPU-GTU-GXU M04	614	739	96°
94	VELUX GGU-GPU MK04	613	795	96°
95	VELUX GGU-GHU-GPU-GTU-GXU M06	614	939	96°
96	VELUX GGU-GPU MK06	613	995	96°
97	VELUX GGU-GHU-GPU-GTU-GXU M08	614	1159	96°
98	VELUX GGU-GPU MK08	613	1215	96°
99	VELUX GGU-GHU-GPU-GTU-GXU M10	614	1361	96°
100	VELUX GGU-GHU-GPU-GTU MK10	613	1417	96°
101	VELUX GGU-GHU-GPU-GTU M12	613	1562	96°
102	VELUX GGU-GHU-GPU-GTU P04	776	741	96°
103	VELUX GGU-GHU-GPU-GTU-GXU P06	776	939	96°
104	VELUX GGU-GPU PK06	775	995	96°
105	VELUX GGU-GHU-GPU-GTU-GXU P08	776	1159	96°
106	VELUX GGU-GPU PK08	775	1215	96°
107	VELUX GGU-GHU-GPU-GTU-GXU P10	776	1361	96°
108	VELUX GGU-GPU PK10	775	1417	96°
109	VELUX GGU-GHU-GPU-GTU S01	973	460	96°
110	VELUX GGU-GHU-GPU-GTU S06	974	939	96°
111	VELUX GGU-GHU-GPU-GTU SK06	973	995	96°
112	VELUX GGU-GHU-GPU-GTU S08	974	1159	96°
113	VELUX GGU-GPU SK08	970	1215	96°
114	VELUX GGU-GHU-GPU-GTU S10	974	1361	96°
115	VELUX GGU-GHU-GPU-GTU SK10	973	1417	96°
116	VELUX GGU-GHU-GPU-GTU U04	1173	740	96°
117	VELUX GGU-GHU-GPU-GTU UK04	1173	795	96°
118	VELUX GGU-GHU-GPU-GTU-GXU U08	1174	1159	96°
119	VELUX GGU-GHU-GPU-GTU UK08	1173	1215	96°
120	VELUX GGU-GHU-GPU-GTU-GXU U10	1174	1361	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
121	VELUX GGU-GHU-GPU-GTU UK10	1173	1417	96°
122	VELUX GGU-GHU-GPU-GTU 104	410	783	105°
123	VELUX GGU-GHU-GPU-GTU 206	520	984	105°
124	VELUX GGU-GHU-GPU-GTU 304	626	751	105°
125	VELUX GGU-GHU-GPU-GTU 306	626	953	105°
126	VELUX GGU-GHU-GPU-GTU 308	626	1173	105°
127	VELUX GGU-GHU-GPU-GTU 404	788	751	105°
128	VELUX GGU-GHU-GPU-GTU 406	788	953	105°
129	VELUX GGU-GHU-GPU-GTU 408	788	1173	105°
130	VELUX GGU-GHU-GPU-GTU 606	986	953	105°
131	VELUX GGU-GHU-GPU-GTU 608	986	1173	105°
132	VELUX GZX 102	397	614	96°
133	VELUX GZX 204	507	814	96°
134	VELUX GZX 304	613	791	96°
135	VELUX GZX 306	613	991	96°
136	VELUX GZX 308	613	1211	96°
137	VELUX GZX 606	973	991	96°
138	VELUX GZX 608	973	1211	96°
139	VELUX VLholz-VL PU-VKU-VG-VX Type A Y21	384	601	96°
140	VELUX VLholz-VL PU-VKU-VG-VX Type A Y23	384	801	96°
141	VELUX VLholz-VL PU-VKU-VG-VX Type A Y33	484	801	96°
142	VELUX VLholz-VL PU-VKU-VG-VX Type A Y35	484	1001	96°
143	VELUX VLholz-VL PU-VKU-VG-VX Type A Y43	584	801	96°
144	VELUX VLholz-VL PU-VKU-VG-VX Type A Y45	584	1001	96°
145	VELUX VLholz-VL PU-VKU-VG-VX Type A Y47	584	1201	96°
146	VELUX VLholz-VL PU-VKU-VG-VX Type A Y65	764	1001	96°
147	VELUX VLholz-VL PU-VKU-VG-VX Type A Y67	764	1201	96°
148	VELUX VLholz-VL PU-VKU-VG-VX Type A Y85	964	1001	96°
149	VELUX VLholz-VL PU-VKU-VG-VX Type A Y87	964	1201	96°
150	VELUX VLholz-VL PU-VKU-VG-VX Type A Y89	964	1401	96°
151	VELUX VLholz-VL PU-VKU-VG-VX Type A Y97	1164	1201	96°
152	VELUX VLholz-VL PU-VKU-VG-VX Type A Y99	1164	1401	96°
153	VELUX VLholz-VL PU-VKU-VG-VX Type A O21	390	609	96°
154	VELUX VLholz-VL PU-VKU-VG-VX Type A O23	390	809	96°
155	VELUX VLholz-VL PU-VKU-VG-VX Type A O33	490	809	96°
156	VELUX VLholz-VL PU-VKU-VG-VX Type A O35	490	1009	96°
157	VELUX VLholz-VL PU-VKU-VG-VX Type A O43	590	809	96°
158	VELUX VLholz-VL PU-VKU-VG-VX Type A O45	590	1009	96°
159	VELUX VLholz-VL PU-VKU-VG-VX Type A O47	590	1209	96°
160	VELUX VLholz-VL PU-VKU-VG-VX Type A O65	770	1009	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
161	VELUX VLholz-VL PU-VKU-VG-VX Type A 067	770	1209	96°
162	VELUX VLholz-VL PU-VKU-VG-VX Type A 085	970	1009	96°
163	VELUX VLholz-VL PU-VKU-VG-VX Type A 087	970	1209	96°
164	VELUX VLholz-VL PU-VKU-VG-VX Type A 089	970	1409	96°
165	VELUX VLholz-VL PU-VKU-VG-VX Type A 107	1170	1209	96°
166	VELUX VLholz-VL PU-VKU-VG-VX Type A 109	1170	1409	96°
167	VELUX VLholz-VL PU-VKU-VG-VX Type B 021	400	618	100°
168	VELUX VLholz-VL PU-VKU-VG-VX Type B 023	400	818	100°
169	VELUX VLholz-VL PU-VKU-VG-VX Type B 033	500	818	100°
170	VELUX VLholz-VL PU-VKU-VG-VX Type B 035	500	1018	100°
171	VELUX VLholz-VL PU-VKU-VG-VX Type B 043	600	818	100°
172	VELUX VLholz-VL PU-VKU-VG-VX Type B 045	600	1018	100°
173	VELUX VLholz-VL PU-VKU-VG-VX Type B 047	600	1218	100°
174	VELUX VLholz-VL PU-VKU-VG-VX Type B 065	780	1018	100°
175	VELUX VLholz-VL PU-VKU-VG-VX Type B 067	780	1218	100°
176	VELUX VLholz-VL PU-VKU-VG-VX Type B 085	980	1018	100°
177	VELUX VLholz-VL PU-VKU-VG-VX Type B 087	980	1218	100°
178	VELUX VLholz-VL PU-VKU-VG-VX Type B 089	980	1418	100°
179	VELUX VLholz-VL PU-VKU-VG-VX Type B 107	1180	1218	100°
180	VELUX VLholz-VL PU-VKU-VG-VX Type B 109	1180	1418	100°
181	VELUX VLholz-VL PU-VKU-VG-VX Type B 147	1580	1218	100°
182	VELUX VK-VS-VE Type „A“ 021	390	656	96°
183	VELUX VK-VS-VE Type „A“ 023	390	856	96°
184	VELUX VK-VS-VE Type „A“ 033	490	856	96°
185	VELUX VK-VS-VE Type „A“ 035	490	1056	96°
186	VELUX VK-VS-VE Type „A“ 043	590	856	96°
187	VELUX VK-VS-VE Type „A“ 045	590	1056	96°
188	VELUX VK-VS-VE Type „A“ 047	590	1256	96°
189	VELUX VK-VS-VE Type „A“ 065	770	1056	96°
190	VELUX VK-VS-VE Type „A“ 067	770	1256	96°
191	VELUX VK-VS-VE Type „A“ 085	970	1056	96°
192	VELUX VK-VS-VE Type „A“ 087	970	1256	96°
193	VELUX VK-VS-VE Type „A“ 107	1170	1256	96°
194	VELUX VK-VS-VE Type „B“ 021	400	670	100°
195	VELUX VK-VS-VE Type „B“ 023	400	870	100°
196	VELUX VK-VS-VE Type „B“ 033	500	870	100°
197	VELUX VK-VS-VE Type „B“ 035	500	1070	100°
198	VELUX VK-VS-VE Type „B“ 043	600	870	100°
199	VELUX VK-VS-VE Type „B“ 045	600	1070	100°
200	VELUX VK-VS-VE Type „B“ 047	600	1270	100°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
201	VELUX VK-VS-VE Type „B“ 065	780	1070	100°
202	VELUX VK-VS-VE Type „B“ 067	780	1270	100°
203	VELUX VK-VS-VE Type „B“ 085	980	1070	100°
204	VELUX VK-VS-VE Type „B“ 087	980	1270	100°
205	VELUX VK-VS-VE Type „B“ 107	1180	1270	100°
206	VELUX VH 087	922	1127	90°
207	VELUX VH 107	1122	1127	90°
208	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 331	613	387	96°
209	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 334	613	740	96°
210	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 335	613	740	96°
211	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 336	613	940	96°
212	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 338	613	1160	96°
213	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 431	775	387	96°
214	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 434	775	740	96°
215	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 436	775	940	96°
216	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 438	775	1160	96°
217	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 631	973	387	96°
218	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 634	973	740	96°
219	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 636	973	940	96°
220	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 638	973	1160	96°
221	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 831	1173	387	96°
222	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB 834	1173	740	96°
223	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M31	613	387	96°
224	VELUX VIU-VFE MK31	612	387	96°
225	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M34	613	740	96°
226	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M35	613	940	96°
227	VELUX VIU-VFE MK35	612	741	96°
228	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M36	613	940	96°
229	VELUX VIU-VFE MK36	612	941	96°
230	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M38	613	1160	96°
231	VELUX VIU-VFE MK38	612	1161	96°
232	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB M50	612	353	96°
233	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB P31	775	387	96°
234	VELUX VIU-VFE PK31	774	741	96°
235	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB P34	775	740	96°
236	VELUX VIU-VFE PK35	774	741	96°
237	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB P36	775	940	96°
238	VELUX VIU-VFE PK36	774	941	96°
239	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB P38	775	1160	96°
240	VELUX VIU-VFE PK38	774	1161	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
241	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB P50	774	353	96°
242	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB S31	973	387	96°
243	VELUX VIU-VFE SK31	972	387	96°
244	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB S34	973	740	96°
245	VELUX VIU-VFE SK35	972	741	96°
246	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB S36	973	940	96°
247	VELUX VIU-VFE SK36	972	941	96°
248	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB S38	973	1160	96°
249	VELUX VIU-VFE SK38	972	1161	96°
250	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB S50	972	353	96°
251	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB U31	1173	387	96°
252	VELUX VIU-VFE UK35	1172	741	96°
253	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB U34	1173	740	96°
254	VELUX VIU-VFE UK36	1172	941	96°
255	VELUX VIU-VFE UK38	1172	1161	96°
256	VELUX GIL-VEA-VEB-VEC-VFE-VFA-VFB U50	1172	353	96°
257	VELUX VF Type B Exchange Wing 11	446	548	100°
258	VELUX VF Type B Exchange Wing 21	400	618	100°
259	VELUX VF Type B Exchange Wing 22	626	818	100°
260	VELUX VF Type B Exchange Wing 23	400	818	100°
261	VELUX VF Type B Exchange Wing 24	626	1018	100°
262	VELUX VF Type B Exchange Wing 25	626	1218	100°
263	VELUX VF Type B Exchange Wing 34	976	1018	100°
264	VELUX VF Type B Exchange Wing 35	976	1218	100°
265	VELUX VF Type B Exchange Wing 43	600	818	100°
266	VELUX VF Type B Exchange Wing 45	600	1018	100°
267	VELUX VF Type B Exchange Wing 47	600	1218	100°
268	VELUX VF Type B Exchange Wing 48	600	1218	100°
269	VELUX VF Type B Exchange Wing 52	1420	818	100°
270	VELUX VF Type B Exchange Wing 54	1420	1018	100°
271	VELUX VF Type B Exchange Wing 55	1420	1218	100°
272	VELUX VF Type B Exchange Wing 85	980	1018	100°
273	VELUX VF Type B Exchange Wing 87	980	1218	100°
274	VELUX VF Type B Exchange Wing 125	1384	1018	100°
275	VELUX VF Type B Exchange Wing 127	1384	1218	100°
276	VELUX VF Type B Exchange Wing 147	1580	1218	100°
277	VELUX VF Type A Exchange Wing 11	436	537	96°
278	VELUX VF Type A Exchange Wing 21	390	609	96°
279	VELUX VF Type A Exchange Wing 22	616	809	96°
280	VELUX VF Type A Exchange Wing 23	390	809	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
281	VELUX VF Type A Exchange Wing 24	616	1009	96°
282	VELUX VF Type A Exchange Wing 25	616	1209	96°
283	VELUX VF Type A Exchange Wing 34	966	1009	96°
284	VELUX VF Type A Exchange Wing 35	966	1209	96°
285	VELUX VF Type A Exchange Wing 43	590	809	96°
286	VELUX VF Type A Exchange Wing 45	590	1009	96°
287	VELUX VF Type A Exchange Wing 47	590	1209	96°
288	VELUX VF Type A Exchange Wing 52	1410	809	96°
289	VELUX VF Type A Exchange Wing 54	1410	1009	96°
290	VELUX VF Type A Exchange Wing 55	1410	1209	96°
291	VELUX VF Type A Exchange Wing 85	970	1009	96°
292	VELUX VF Type A Exchange Wing 87	970	1209	96°
293	VELUX VF Type A Exchange Wing 125	1374	1009	96°
294	VELUX VF Type A Exchange Wing 127	1374	1209	96°
295	VELUX VZ 41	590	289	96°
296	VELUX VZ 61	770	289	96°
297	VELUX VZ 81	970	289	96°
298	VELUX VZ 101	1170	289	96°
299	VELUX VZ 448	590	410	96°
300	VELUX VZ 468	770	410	96°
301	VELUX VZ 488	970	410	96°
302	VELUX VZ 508	1170	410	96°
303	VELUX VH 87	922	1127	90°
304	VELUX VH 107	1122	1127	90°
305	VELUX V / VA 11	425	528	90°
306	VELUX V / VA 21	380	600	90°
307	VELUX V / VA 22	605	800	90°
308	VELUX V / VA 23	380	800	90°
309	VELUX V / VA 24	605	1000	90°
310	VELUX V / VA 25	605	1200	90°
311	VELUX V / VA 34	955	1000	90°
312	VELUX V / VA 35	955	1200	90°
313	VELUX V / VA 43	580	800	90°
314	VELUX V / VA 45	580	1000	90°
315	VELUX V / VA 47	580	1200	90°
316	VELUX V / VA 52	677	800	90°
317	VELUX V / VA 54	677	1000	90°
318	VELUX V / VA 55	677	1200	90°
319	VELUX V / VA 85	960	1000	90°
320	VELUX V / VA 87	960	1200	90°



# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
321	VELUX V / VA 125	660	1000	90°
322	VELUX V / VA 127	660	1200	90°
323	VELUX GIV 350	612	410	96°
324	VELUX GIV 450	774	410	96°
325	VELUX GIV 650	972	410	96°
326	VELUX GIV 850	1172	410	96°
327	VELUX GIV M50	614	360	96°
328	VELUX GIV P50	774	360	96°
329	VELUX GIV S50	974	360	96°
330	VELUX GIV U50	1174	360	96°
331	VELUX GIU 334	626	758	105°
332	VELUX GIU 434	788	758	105°
333	VELUX GIU 634	986	758	105°
334	VELUX GIU-GIL-VIU M34	614	739	96°
335	VELUX GIU MK34	612	740	96°
336	VELUX GIU-GIL-VIU P34	776	739	96°
337	VELUX GIU PK34	774	740	96°
338	VELUX GIU-GIL-VIU S34	974	739	96°
339	VELUX GIU SK34	972	740	96°
340	VELUX GIU-GIL-VIU U34	1174	739	96°
341	VELUX GIU UK34	1172	740	96°
342	VELUX FVI 1	614	802	96°
343	VELUX FVI 2	614	1222	96°
344	VELUX FVI 4	974	1002	96°
345	VELUX FVI 5	536	1002	96°
346	VELUX FVI 6	384	802	96°
347	VELUX FVI 7	1174	802	96°
348	VELUX FVI 8	1174	1222	96°
349	VELUX FVI 9	384	522	96°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
1	ROTO WDF 61H/62H/84H 5 / 7	352	580	100° Roto
2	ROTO WDF 61H/62H/84H 5 / 9	352	780	100° Roto
3	ROTO WDF 61H/62H/84H 5 / 11	352	980	100° Roto
4	ROTO WDF 61H/62H/84H 6 / 9	462	780	100° Roto
5	ROTO WDF 61H/62H/84H 6 / 11	462	980	100° Roto
6	ROTO WDF 61H/62H/84H 6 / 14	462	1200	100° Roto
7	ROTO WDF 61H/62H/84H 6 / 18	462	1600	100° Roto
8	ROTO WDF 61H/62H/84H 7 / 7	552	580	100° Roto
9	ROTO WDF 61H/62H/84H 7 / 9	552	780	100° Roto
10	ROTO WDF 61H/62H/84H 7 / 11	552	980	100° Roto
11	ROTO WDF 61H/62H/84H 7 / 14	552	1200	100° Roto
12	ROTO WDF 61H/62H/84H 7 / 16	552	1400	100° Roto
13	ROTO WDF 61H/62H/84H 7 / 18	552	1600	100° Roto
14	ROTO WDF 61H/62H/84H 8 / 11	662	920	100° Roto
15	ROTO WDF 61H/62H/84H 8 / 13	662	1100	100° Roto
16	ROTO WDF 61H/62H/84H 9 / 7	752	580	100° Roto
17	ROTO WDF 61H/62H/84H 9 / 11	752	780	100° Roto
18	ROTO WDF 61H/62H/84H 9 / 11	752	980	100° Roto
19	ROTO WDF 61H/62H/84H 9 / 14	752	1200	100° Roto
20	ROTO WDF 61H/62H/84H 9 / 16	752	1400	100° Roto
21	ROTO WDF 61H/62H/84H 9 / 18	752	1600	100° Roto
22	ROTO WDF 61H/62H/84H 10 / 11	862	920	100° Roto
23	ROTO WDF 61H/62H/84H 10 / 14	862	1250	100° Roto
24	ROTO WDF 61H/62H/84H 11 / 7	952	580	100° Roto
25	ROTO WDF 61H/62H/84H 11 / 9	952	780	100° Roto
26	ROTO WDF 61H/62H/84H 11 / 11	952	980	100° Roto
27	ROTO WDF 61H/62H/84H 11 / 14	952	1200	100° Roto
28	ROTO WDF 61H/62H/84H 11 / 16	952	1400	100° Roto
29	ROTO WDF 61H/62H/84H 13 / 7	1152	580	100° Roto
30	ROTO WDF 61H/62H/84H 13 / 9	1152	780	100° Roto
31	ROTO WDF 61H/62H/84H 13 / 14	1152	1200	100° Roto
32	ROTO WDF 61H/62H/84H 13 / 16	1152	1400	100° Roto
33	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 5 / 7	328	568	100° Roto
34	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 5 / 9	328	768	100° Roto
35	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 5 / 11	328	968	100° Roto
36	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 6 / 11	438	968	100° Roto
37	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 6 / 14	438	1188	100° Roto
38	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 6 / 18	438	1588	100° Roto
39	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 7	528	568	100° Roto
40	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 9	528	768	100° Roto

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
41	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 11	528	968	100° Roto
42	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 14	528	1188	100° Roto
43	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 16	528	1388	100° Roto
44	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 7 / 18	528	1588	100° Roto
45	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 8 / 11	638	908	100° Roto
46	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 8 / 13	638	1088	100° Roto
47	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 7	728	568	100° Roto
48	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 9	728	768	100° Roto
49	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 11	728	968	100° Roto
50	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 14	728	1188	100° Roto
51	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 16	728	1388	100° Roto
52	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 9 / 18	728	1588	100° Roto
53	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 10 / 11	838	908	100° Roto
54	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 10 / 14	838	1238	100° Roto
55	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 11 / 7	928	568	100° Roto
56	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 11 / 9	928	768	100° Roto
57	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 11 / 11	928	968	100° Roto
58	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 11 / 14	928	1188	100° Roto
59	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 11 / 16	928	1388	100° Roto
60	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 13 / 7	1128	568	100° Roto
61	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 13 / 9	1128	768	100° Roto
62	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 13 / 14	1128	1188	100° Roto
63	ROTO WDF 64K/84K/R6H/R6K/R8H/R8K 13 / 16	1128	1388	100° Roto
64	ROTO WDF 84H SA 7 / 14	552	1200	100° Roto
65	ROTO WDF 84H SA 11 / 14	952	1200	100° Roto
66	ROTO 73H, 73K, 43H, R7H, R7K 5/7	382	620	100° Roto
67	ROTO 73H, 73K, 43H, R7H, R7K 5/9	382	820	100° Roto
68	ROTO 73H, 73K, 43H, R7H, R7K 5/11	382	1020	100° Roto
69	ROTO 73H, 73K, 43H, R7H, R7K 6/9	492	820	100° Roto
70	ROTO 73H, 73K, 43H, R7H, R7K 6/11	492	1020	100° Roto
71	ROTO 73H, 73K, 43H, R7H, R7K 6/14	492	1240	100° Roto
72	ROTO 73H, 73K, 43H, R7H, R7K 6/16	492	1440	100° Roto
73	ROTO 73H, 73K, 43H, R7H, R7K 7/6	582	440	100° Roto
74	ROTO 73H, 73K, 43H, R7H, R7K 7/7	582	620	100° Roto
75	ROTO 73H, 73K, 43H, R7H, R7K 7/9	582	820	100° Roto
76	ROTO 73H, 73K, 43H, R7H, R7K 7/11	582	1020	100° Roto
77	ROTO 73H, 73K, 43H, R7H, R7K 7/14	582	1240	100° Roto
78	ROTO 73H, 73K, 43H, R7H, R7K 7/16	582	1440	100° Roto
79	ROTO 73H, 73K, 43H, R7H, R7K 9/7	782	620	100° Roto
80	ROTO 73H, 73K, 43H, R7H, R7K 9/9	782	820	100° Roto

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
81	ROTO 73H, 73K, 43H, R7H, R7K 9/11	782	1020	100° Roto
82	ROTO 73H, 73K, 43H, R7H, R7K 9/14	782	1240	100° Roto
83	ROTO 73H, 73K, 43H, R7H, R7K 9/16	782	1440	100° Roto
84	ROTO 73H, 73K, 43H, R7H, R7K 10/12	863	1062	100° Roto
85	ROTO 73H, 73K, 43H, R7H, R7K 11/6	982	440	100° Roto
86	ROTO 73H, 73K, 43H, R7H, R7K 11/7	982	620	100° Roto
87	ROTO 73H, 73K, 43H, R7H, R7K 11/9	982	820	100° Roto
88	ROTO 73H, 73K, 43H, R7H, R7K 11/11	982	1020	100° Roto
89	ROTO 73H, 73K, 43H, R7H, R7K 11/14	982	1240	100° Roto
90	ROTO 73H, 73K, 43H, R7H, R7K 12/7	1064	582	100° Roto
91	ROTO 73H, 73K, 43H, R7H, R7K 12/9	1064	831	100° Roto
92	ROTO 73H, 73K, 43H, R7H, R7K 12/12	1064	1083	100° Roto
93	ROTO 73H, 73K, 43H, R7H, R7K 13/7	1182	620	100° Roto
94	ROTO 73H, 73K, 43H, R7H, R7K 13/9	1182	820	100° Roto
95	ROTO 73H, 73K, 43H, R7H, R7K 13/14	1182	1240	100° Roto
96	ROTO 73H, 73K, 43H, R7H, R7K 78/11	622	1020	100° Roto
97	ROTO 73H, 73K, 43H, R7H, R7K 78/14	622	1240	100° Roto
98	ROTO 73K SR, R7K SR 5/8	354	640	100° Roto
99	ROTO 73K SR, R7K SR 5/10	354	840	100° Roto
100	ROTO 73K SR, R7K SR 6/10	454	840	100° Roto
101	ROTO 73K SR, R7K SR 6/12	454	1040	100° Roto
102	ROTO 73K SR, R7K SR 7/9	586	777	100° Roto
103	ROTO 73K SR, R7K SR 7/10	554	840	100° Roto
104	ROTO 73K SR, R7K SR 7/11	586	977	100° Roto
105	ROTO 73K SR, R7K SR 7/12	554	1040	100° Roto
106	ROTO 73K SR, R7K SR 7/13	586	1197	100° Roto
107	ROTO 73K SR, R7K SR 7/14	554	1240	100° Roto
108	ROTO 73K SR, R7K SR 8/12	734	1040	100° Roto
109	ROTO 73K SR, R7K SR 8/14	734	1240	100° Roto
110	ROTO 73K SR, R7K SR 10/12	934	1040	100° Roto
111	ROTO 73K SR, R7K SR 10/14	934	1240	100° Roto
112	ROTO 73K SR, R7K SR 11/11	946	977	100° Roto
113	ROTO 73K SR, R7K SR 11/13	946	1197	100° Roto
114	ROTO 310-321 65/10	494	874	90°
115	ROTO 310-320 5/8	384	694	90°
116	ROTO 310-320 5/10	384	874	90°
117	ROTO 310-320 6/10	484	874	90°
118	ROTO 310-320 7/10	584	874	90°
119	ROTO 310-320 7/12	584	1074	90°
120	ROTO 310-320 7/14	584	1294	90°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
121	ROTO 310-320 9/12	784	1074	90°
122	ROTO 310-320 9/14	784	1294	90°
123	ROTO 310-320 11/12	984	1074	90°
124	ROTO 310-320 11/14	984	1294	90°
125	ROTO 310-320 13/14	1184	1294	90°
126	ROTO 410-417-418 5/8	384	698	90°
127	ROTO 410-417-418 5/11	384	958	90°
128	ROTO 410-417-418 6/8	494	698	90°
129	ROTO 410-417-418 6/11	494	958	90°
130	ROTO 410-417-418 7/11	584	958	90°
131	ROTO 410-417-418 7/14	584	1288	90°
132	ROTO 410-417-418 8/11	694	958	90°
133	ROTO 410-417-418 9/12	784	1068	90°
134	ROTO 410-417-418 9/14	784	1288	90°
135	ROTO 410-417-418 10/11	894	958	90°
136	ROTO 410-417-418 10/12	894	1068	90°
137	ROTO 410-417-418 10/14	894	1288	90°
138	ROTO 410-417-418 13/14	1184	1288	90°
139	ROTO WDF H3 (from 1975) 5 / 8	400	710	90°
140	ROTO WDF H3 (from 1975) 6 / 8	510	710	90°
141	ROTO WDF H3 (from 1975) 6 / 11	510	980	90°
142	ROTO WDF H3 (from 1975) 7 / 11	600	980	90°
143	ROTO WDF H3 (from 1975) 7 / 14	600	1310	90°
144	ROTO WDF H3 (from 1975) 8 / 11	710	980	90°
145	ROTO WDF H3 (from 1975) 10 / 11	910	980	90°
146	ROTO WDF H3 (from 1975) 10 / 14	910	1310	90°
147	ROTO WDF H3 (from 1975) 13 / 14	1200	1310	90°
148	ROTO WDF H1 (till 1975) 5 / 8	420	720	90°
149	ROTO WDF H1 (till 1975) 6 / 8	530	720	90°
150	ROTO WDF H1 (till 1975) 6 / 11	530	990	90°
151	ROTO WDF H1 (till 1975) 7 / 11	620	990	90°
152	ROTO WDF H1 (till 1975) 7 / 14	620	1320	90°
153	ROTO WDF H1 (till 1975) 8 / 11	730	990	90°
154	ROTO WDF H1 (till 1975) 10 / 11	930	990	90°
155	ROTO WDF H1 (till 1975) 10 / 14	930	1320	90°
156	ROTO HR WOOD 5/7	352	580	90°
157	ROTO HR WOOD 5/9	352	780	90°
158	ROTO HR WOOD 5/11	352	980	90°
159	ROTO HR WOOD 6/11	462	980	90°
160	ROTO HR WOOD 7/7	552	580	90°

# Durach

Sonnenschutz | Blendschutz | Raumakustik

www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
161	ROTO HR WOOD 7/9	552	780	90°
162	ROTO HR WOOD 7/11	552	980	90°
163	ROTO HR WOOD 7/14	552	1200	90°
164	ROTO HR WOOD 7/16	552	1400	90°
165	ROTO HR WOOD 9/7	752	580	90°
166	ROTO HR WOOD 9/9	752	780	90°
167	ROTO HR WOOD 9/11	752	980	90°
168	ROTO HR WOOD 9/14	752	1200	90°
169	ROTO HR WOOD 9/16	752	1400	90°
170	ROTO HR WOOD 11/7	952	580	90°
171	ROTO HR WOOD 11/9	952	780	90°
172	ROTO HR WOOD 11/11	952	980	90°
173	ROTO HR WOOD 11/14	952	1200	90°
174	ROTO HR WOOD 13/7	1152	580	90°
175	ROTO HR WOOD 13/9	1152	780	90°
176	ROTO HR WOOD 13/14	1152	1200	90°
177	ROTO HR 5/7	382	568	90°
178	ROTO HR 5/9	382	768	90°
179	ROTO HR 5/11	382	968	90°
180	ROTO HR 6/11	438	968	90°
181	ROTO HR 7/7	528	568	90°
182	ROTO HR 7/9	528	768	90°
183	ROTO HR 7/11	528	968	90°
184	ROTO HR 7/14	528	1188	90°
185	ROTO HR 9/7	728	568	90°
186	ROTO HR 9/9	728	768	90°
187	ROTO HR 9/11	728	968	90°
188	ROTO HR 9/14	728	1188	90°
189	ROTO HR 11/7	928	568	90°
190	ROTO HR 11/9	928	768	90°
191	ROTO HR 11/11	928	968	90°
192	ROTO HR 11/14	928	1188	90°
193	ROTO HR 13/7	1128	568	90°
194	ROTO HR 13/9	1128	768	90°
195	ROTO HR 13/14	1128	1188	90°
196	ROTO ECOLINE HR 549 PLUS 7/9	620	823	90°
197	ROTO ECOLINE HR 549 PLUS 7/11	620	1023	90°
198	ROTO ECOLINE HR 549 PLUS 7/14	620	1243	90°
199	ROTO ECOLINE HR 549 PLUS 11/11	980	1023	90°
200	ROTO ECOLINE HR 549 PLUS 11/14	980	1243	90°

# Durach

Sonnenschutz | Blendschutz | Raumakustik  
www.durach.com

## Dachfenstertypen



Stand: März 2021

Nr.	MODELL	Breite	Höhe	
201	ROTO ECOLINE HR 549 PLUS 13/9	1180	823	90°
202	ROTO ECOLINE HR 339 PLUS 5/7	384	544	90°
203	ROTO ECOLINE HR 339 PLUS 5/9	384	824	90°
204	ROTO ECOLINE HR 339 PLUS 6/11	494	1024	90°
205	ROTO ECOLINE HR 339 PLUS 7/9	624	824	90°
206	ROTO ECOLINE HR 339 PLUS 7/11	624	1024	90°
207	ROTO ECOLINE HR 339 PLUS 7/14	624	1244	90°
208	ROTO ECOLINE HR 339 PLUS 7/16	624	1444	90°
209	ROTO ECOLINE HR 339 PLUS 9/11	784	1024	90°
210	ROTO ECOLINE HR 339 PLUS 9/14	784	1244	90°
211	ROTO ECOLINE HR 339 PLUS 9/16	784	1444	90°
212	ROTO ECOLINE HR 339 PLUS 11/11	984	1024	90°
213	ROTO ECOLINE HR 339 PLUS 11/14	984	1244	90°
214	ROTO ECOLINE HR 339 PLUS 13/9	1184	824	90°
215	ROTO ECOLINE HR 339 PLUS 13/14	1184	1244	90°
216	ROTO 735 K SR 5/8 (021)	354	641	100° Roto
217	ROTO 735 K SR 5/10 (023)	354	841	100° Roto
218	ROTO 735 K SR 6/10 (033)	454	841	100° Roto
219	ROTO 735 K SR 6/12 (035)	454	1041	100° Roto
220	ROTO 735 K SR 7/10 (043)	554	841	100° Roto
221	ROTO 735 K SR 7/12 (045)	554	1041	100° Roto
222	ROTO 735 K SR 7/14 (045)	554	1241	100° Roto
223	ROTO 735 K SR 8/12 (065)	734	1041	100° Roto
224	ROTO 735 K SR 8/14 (067)	734	1241	100° Roto
225	ROTO 735 K SR 10/12 (085)	934	1041	100° Roto
226	ROTO 735 K SR 10/14 (087)	934	1241	100° Roto